



SPECIFICATIONS PROVISIONAL

L.O.A*:	8.54 m
Length of hull:	7.98 m
Width of hull:	2.75 m
Light displacement (Petrol):	2 915 kg
Light displacement (Diesel):	3 115 kg
Air draught:	2.08 m
Draft:	0.53 m
Fuel tank capacity:	285 l
Water tank capacity:	95 l
Maximum engine power:	1 x 235 Kw-1 x 320 HP
Max engine certification:	1 x 235 Kw-1 x 320 HP
EC certification:	C8/D8

* (with aft swimming platform)

ARCHITECTS

Beneteau Power

DESIGNERS

P. Andreani

PATENT AIR STEP®

R.L. Jeantet - P. Tableau - M. Tronquez

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Technology Air Step®
White hull
Composition: Sandwich (Polyester resin - Glass fibre - Balsa core) - Hull counter moulding laminated in monolithic (Polyester resin - Glass fibre)

DECK

Composition: Sandwich (Polyester resin - Glass fibre - Balsa core) - Deck made of injection moulding - Deck counter moulding laminated in monolithic (Polyester resin - Glass fibre)

DECK EQUIPMENT

Navigation lights

MOORING - ANCHORING

Bow fitting
2 Forward cleat(s), 2 to midships and 2 to aft in stainless steel

PERSONNEL GUARDS

Half open pulpit in stainless steel
2 stainless steel hand rails protecting access to the catwalks

COCKPIT

Self-bailing cockpit - Cockpit unit with sink, foldaway tap and 2 plate glass ceramic cooker - 5 place outside saloon convertible to sun deck - Meridienne couch to port to be used as extra seating for outside saloon - Storage for 8 person cased liferaft installed under the meridienne - Cold/hot water cockpit shower with mixer tap - Access through a gate with safety catch - Aft swimming platform decked in natural solid wood with fitted retractable swimming ladder

STEERING STATION

Glass windscreen and aluminium and stainless steel frames - Two seat pilot bench with Bolster function - Copilot hand rail in stainless steel - Metallic sport grey dash board with fitted rev counters and switches, compass and fuel gauge

INTERIOR LAYOUT

Wengé type laminated floors, light oak coloured partitions - Direct and indirect lighting (Adjustable spotlight) - Cushions Paradise Sand

SALOON

Height to deck beam: 1.80 m.
Sliding access door in PMMA grey with lock - 5 person sofa - Light oak colour table - Saloon convertible to double berth (1.80 x 1.67 m) - Position intended for television (optional extra), Cubby hole lockers - Storage cupboard with space for microwave (optional extra) - 2 opening portholes - 1 Opening deck hatch with shutter

WASHROOM

Height to deck beam: 1.73 m
Marine toilet - Rigid sewage water tank 80L - Basin with mixer tap and shower hose - Automatic shower water drainage - Mirror and storage space - 1 Opening porthole

OWNER CABIN (AFT)

Height to deck beam in door frame: 1.75 m.
Double berth (1.99 m x 1.37 m) - Marine mattress - Cubby hole lockers - 1 Opening hatch with curtain - 2 opening portholes

ENGINE

Propulsion Stern Drive - **Petrol version Volvo GXI 320 (1x235 Kw - 1x320HP) or Diesel version Volvo D4 260 (1x191 Kw - 1x260HP)** - Fuel filter with decanter - Sea water filter - Air intakes on the deck for engine compartment cooling - Hot air exhaust through electric ventilator (Petrol version only) - Engine room foam soundproofed - fire extinguishing system activated from the steering station - 1 Extinguisher in the engine compartment - Fuel filler accessed from the starboard catwalk - 1 Rotational moulded fuel tank, capacity of 285 L

Steering system:

Steering and engine control through cables (Petrol engine version) - Hydraulic steering and electric engine control (Diesel engine version) - 2 Housings with counter rotative propellers

ELECTRICAL SYSTEM

2 Batteries 12 V 110 Ah (1 Battery for engine + 1 service batteries) - 1 Battery charger 25 Ah - 4 Bilge pumps: 3 Electric, 1 Manual - Charge divider - Interior socket(s) 220 V - Interior socket 12 V for mobile phone - Shore power socket 220 V - Spotlight and reading lighting

WATER SYSTEM

Rotational moulded water tank(s), capacity of 95 L - Water filler accessed from starboard catwalk - Water pump for pressurising hot/cold water system - 25L water heater working off engine exchanger (Diesel version only) and 220 V (Petrol version and Diesel)

TRIM LEVEL

	DYNAMIC	AMBITION
Electric windlass 700 W + Swing bow fitting + Control	■	■
CD player / MP3 + Interior loudspeakers	■	■
Sun mattress forward Cushions "Columbia"	■	■
Cockpit refrigerator 42L	■	■
Cockpit decked in natural solid wood		■
Quiet Flush electric toilet		■
Multifunction screen RAYMARINE C80 + GPS antenna		■
Loch speedo and sounder transducer		■

OPTIONS

PACKS

PACK CRUISING

Grill for outside kitchen (with flame guard) - Microwave oven - Flat screen TV + DVD/MP3 player in the saloon

OTHER AVAILABLE OPTIONS

- Mooring kit (x4), Anchoring (14 kg anchor) and fenders (x6)
- Convertible cockpit top "Dune"
- Aft cockpit closing "Dune"
- Mooring awning
- Bow thruster + 1 Battery 50 Ah
- White and ruby red two colour hull
- 2 Waterproof cockpit speakers
- Electric heating on 220 V

